

# opentunnel

Overheidsservicebus met volledige Digikoppeling connectiviteit

Foutberichten en foutafhandeling



### FOUTEN BIJ ONTVANGST BERICHT

Foutcode	Foutmelding	Oorzaak en Oplossing
OT20308	Generieke fout, maar de meest voorkomende is het niet kunnen vinden van een endpoint URL	Verkeerde URL wordt aangesproken door of endpoint staat op verkeerde URL te luisteren. In het laatste geval moet de OpenTunnel endpoint configuratie worden aangepast.

### SECURITY FOUTEN

Foutcode	Foutmelding	Oorzaak en Oplossing
OT00101	Authentication of the request failed. Invalid credentials	Gebruiker of organisatie afkomstig uit certificaat of via basic authentication is niet meegegeven of bestaat niet in security store (bijv LDAP)
OT00102	Cannot sign request message	Systeem of tunnelconfiguratie fout.
OT00103	Cannot encrypt request message	Systeem of tunnelconfiguratie fout. Public key van ontvanger niet beschikbaar
OT00104	Digital Signature validation failed	Systeem of tunnelconfiguratie fout. Public key van ontvanger niet beschikbaar.
OT00105	The certificate used for the signature has been revoked	Het certificaat waarmee gesigned is komt voor in de 'blacklist' van de Certificate Authority. Dit wordt geconstateerd door de OpenTunnel CRL Server.
OT00106	The certificate used for the signature is not trusted	Certificaat van verzender wordt niet vertrouwd of ander certificaat in de trust chain (bijvoorbeeld van de Certificate Authority)
OT00107	Invalid security timestamp in the request message	Timestamp is verlopen of onjuist opgemaakt in XML
OT00108	Request message decryption failed	Niet of onjuist versleuteld met certificaat van ontvanger.
OT00109	Authorization failed	

### WS-ADDRESSING FOUTEN

Foutcode	Foutmelding	Oorzaak en Oplossing
OT00201	Cannot add WS-Addressing fields into request	
OT00202	WS-Addressing Header To is missing	
OT00203	WS-Addressing Header Action is missing	
OT00204	WS-Addressing Header MessageID is missing	
OT00205	Cannot add WS-Addressing fields	
OT00206	WS-Addressing Header ReplyTo is missing	

### FOUTEN GERELATEERD AAN HET NIET ONDERSTEUNEN VAN DE DIGIKOPPELING STANDAARD

Foutcode	Foutmelding	Oorzaak en Oplossing
OT00301	Request message contains headers other than WS-Addressing	
OT00302	No WS-Security header found	
OT00303	Message contains WS-Addressing To element which has not been signed	
OT00304	Message contains body which has not been signed	
OT00305	Message contains timestamp which has not been signed	
OT00307	Message contains redundant WS-Addressing elements (besides To, Action, MessageId, RelatesTo and ReplyTo)	
OT00308	Security Timestamp is missing	

# opentunnel

Overheidsservicebus met volledige Digikoppeling connectiviteit

OT00309	Message contains WS-Addressing Action element which has not been signed	
OT00310	Message contains WS-Addressing MessageId element which has not been signed	
OT00311	Message contains WS-Addressing ReplyTo element which has not been signed	
OT00312	Message contains Timestamp element which has not been signed	
OT00313	SOAPBody of message has not been signed	
OT00321	Generic protocol compliancy error in request	

## SOAP HEADER FOUTEN

Foutcode	Foutmelding	Oorzaak en Oplossing
OT00401	Cannot add SOAP Header fields into request	
OT00402	Cannot remove SOAP Header fields from request	

## OVERIGE FOUTEN

Foutcode	Foutmelding	Oorzaak en Oplossing
OT00901	Cannot log request message	
OT00902	Cannot deliver request message due to connection timeout	
OT00903	Cannot deliver request message	De server waar het verzoek heen is gestuurd is niet beschikbaar
OT00904	Request rejected by destination service	
OT00999	Request processing error	

OT00320	Request XSD validation failure	
---------	--------------------------------	--

### FOUTEN IN DE SERVICERESPONSE

#### SECURITY FOUTEN

Foutcode	Foutmelding	Oorzaak en Oplossing
OT10102	Cannot sign response message	
OT10103	Cannot encrypt response message	
OT10104	Digital Signature validation failed in response	
OT10105	The certificate used for the response signature has been revoked	
OT10106	The certificate used for the response signature is not trusted	
OT00108	Request message decryption failed	
OT00109	Authorization failed	

#### WS-ADDRESSING FOUTEN

Foutcode	Foutmelding	Oorzaak en Oplossing
OT10201	Cannot add WS-Addressing fields into response	
OT10202	WS-Addressing Header To is missing in response	
OT00203	WS-Addressing Header Action is missing in response	
OT10204	WS-Addressing Header MessageID is missing in	

# opentunnel

Overheidsservicebus met volledige Digikoppeling connectiviteit

	response	
OT10207	WS-Addressing header RelatesTo is missing in response	
OT10208	Invalid WS-Addressing info in response	

## SOAP HEADER FOUTEN

Foutcode	Foutmelding	Oorzaak en Oplossing
OT10401	Cannot add SOAP Header fields into response	
OT10402	Cannot remove SOAP Header fields from response	

## OVERIGE FOUTEN

Foutcode	Foutmelding	Oorzaak en Oplossing
OT10901	Cannot log response message	
OT10306	Response message must not contain WS-Addressing FaultTo element	
OT10320	Response XSD validation failure	
OT10321	Generic protocol compliancy error in response	
OT10501	Content validation error for response message	De semantische validatie service constateert een fout in het antwoord bericht
OT10999	Request response error	

## FOUTEN GERELATEERD AAN RESPONSE EN REQUEST

Foutcode	Foutmelding	Oorzaak en Oplossing
----------	-------------	----------------------

# opentunnel

## Overheidsservicebus met volledige Digikoppeling connectiviteit

OT20301	Message ID has been used before	Het bericht is OF meermalen aangeboden OF er wordt geen nieuw MessageID gegenereerd voor een nieuw bericht.
OT20302	Failed to audit message	
OT20303	General message processing error	Algemene berichtverwerkingsfout in OpenTunnel. Verdere informatie is in de OpenTunnel logs beschikbaar.
OT20304	Failed to audit target payload of a message	Retourbericht kan niet worden opgeslagen in de database. Redenen: database niet bereikbaar, database is vol, geen connectie beschikbaar (volle database connectiepool)
OT20305	General configuration error	Configuratie fout, controleer logbestanden (opentunnel.log, server.log) en pas configuratie aan.
OT20306	General transport layer error	Fout op de protocol transportlaag
OT20307	General security error	Beveiligingsfout fout, controleer logbestanden (opentunnel.log, server.log).